

2024-05-05

 SWEDSTYLE



AERO C-2

Fixed-height frame for a reliable and robust meeting table, allowing customisation of table width and length to your desired design.

- Many different height and size options
- Design it yourself
- Free leg room

AERO meeting table frames give you a robust table with an impressive range of options. The frames are available in a number of different lengths and widths, to suit different requirements. Easily assembled together with any table top, allowing users to have total freedom of choice as to the style and dimensions – to suit the purpose of the table. Legs of rectangular design.

Art. no	Feet	Colour	Height	Frame width
505100 + 502370	_rel_2588	Chrome	1050	1125 – 1740
505110 + 502370	_rel_2596	Chrome	1050	1125 – 1740
505108 + 502378	_rel_2588	Silver	1050	1125 – 1740
505118 + 502378	_rel_2596	Silver	1050	1125 – 1740
505105 + 502375	_rel_2588	Black	1050	1125 – 1740
505115 + 502375	_rel_2596	Black	1050	1125 – 1740
505106 + 502376	_rel_2588	White	1050	1125 – 1740
505116 + 502376	_rel_2596	White	1050	1125 – 1740
505100	_rel_2588	Chrome	700	1125 – 1740
505110	_rel_2596	Chrome	700	1125 – 1740
505108	_rel_2588	Silver	700	1125 – 1740
505118	_rel_2596	Silver	700	1125 – 1740
505105	_rel_2588	Black	700	1125 – 1740
505115	_rel_2596	Black	700	1125 – 1740
505106	_rel_2588	White	700	1125 – 1740
505116	_rel_2596	White	700	1125 – 1740
505100 + 502360	_rel_2588	Chrome	900	1125 – 1740
505110 + 502360	_rel_2596	Chrome	900	1125 – 1740
505108 + 502368	_rel_2588	Silver	900	1125 – 1740
505118 + 502368	_rel_2596	Silver	900	1125 – 1740
505105 + 502365	_rel_2588	Black	900	1125 – 1740
505115 + 502365	_rel_2596	Black	900	1125 – 1740
505106 + 502366	_rel_2588	White	900	1125 – 1740
505116 + 502366	_rel_2596	White	900	1125 – 1740
505270 + 502370	_rel_2588	Chrome	1050	2100 – 2600
505280 + 502370	_rel_2596	Chrome	1050	2100 – 2600
505278 + 502378	_rel_2588	Silver	1050	2100 – 2600
505288 + 502378	_rel_2596	Silver	1050	2100 – 2600
505275 + 502375	_rel_2588	Black	1050	2100 – 2600
505285 + 502375	_rel_2596	Black	1050	2100 – 2600
505276 + 502376	_rel_2588	White	1050	2100 – 2600
505286 + 502376	_rel_2596	White	1050	2100 – 2600
505270	_rel_2588	Chrome	700	2100 – 2600
505280	_rel_2596	Chrome	700	2100 – 2600
505278	_rel_2588	Silver	700	2100 – 2600
505288	_rel_2596	Silver	700	2100 – 2600
505275	_rel_2588	Black	700	2100 – 2600
505285	_rel_2596	Black	700	2100 – 2600
505276	_rel_2588	White	700	2100 – 2600
505286	_rel_2596	White	700	2100 – 2600
505270 + 502360	_rel_2588	Chrome	900	2100 – 2600
505280 + 502360	_rel_2596	Chrome	900	2100 – 2600
505278 + 502368	_rel_2588	Silver	900	2100 – 2600
505288 + 502368	_rel_2596	Silver	900	2100 – 2600
505275 + 502365	_rel_2588	Black	900	2100 – 2600
505285 + 502365	_rel_2596	Black	900	2100 – 2600
505276 + 502366	_rel_2588	White	900	2100 – 2600
505286 + 502366	_rel_2596	White	900	2100 – 2600

Technical specifications

AERO C-2



Specification	Value
Certifications	SS EN 15372
Paintwork	Powder coating
Area of use	Indoor environment Ambient temperature: +5° to +30° C Humidity: 5 - 85% non condensed